



DIRECTOR MINI

All-in-One Live Production
and Streaming System

Content

01

Product Overview

Value Proposition, Interfaces

02

Key Features

Multi-Input/Output, Streaming, Recording, Director Utility

03

Applications

Live Production

04

Sales Info

Competitive Advantages, Packing List and Price, Warranty Clause

Director Mini is a standalone, portable, all-in-one live production and streaming system. It supports flexible AV and IP inputs (including HDMI, USB, NDI® HX, SRT, mobile sources and more) and rich output possibilities (including RTMP and SRT streams, NDI® HX and local displays). Combining multi-input switching, graphics, streaming, recording and monitoring in one device, Director Mini enables a single operator to easily create visually compelling productions through its intuitive touchscreen for live event coverage, remote production feeds and more.



5.44 inch AMOLED

external battery slot x2
(batteries not included)



Interfaces


Power Button
USB-A 3.0 Input
Headphones
Mic/Line In



HDMI 1 Input
USB-A 3.0 Input
HDMI 2 Input



SD Card Slot



Power

Ethernet
1/4" Mount
USB-C Output

HDMI In

2 × HDMI 1.4

USB In

2 × USB-A 3.0

Smartphone/Tablet Camera Sources In

(using Director Utility)

Audio In

1 × 3.5mm Mic/Line In

1 x audio-only NDI®

HDMI/USB-A embedded audio

Media File Upload

Video clips, pictures, music, text

IP Sources In

RTMP, SRT, NDI® HX

** Director Mini supports up to 3 simultaneous IP input streams, but if 2 inputs are NDI® HX streams, the third IP source can only be RTMP or SRT.*



Streaming

RTMP, SRT, NDI® HX

Local Display

1 × USB-C (adaptable to HDMI)

Audio Out

1 × 3.5mm Headphone output

1 x Bluetooth Audio output

Recording to

64GB internal storage

SD card (not included)

USB flash drive



Content streaming and distribution:

- Supports RTMP streaming with native presets for popular platforms (YouTube, Twitch and Facebook Live)
- Supports SRT streaming
- Supports main stream and sub stream encoding with customized, distinct parameters
- Stream to two destinations simultaneously with same or different (main/sub) stream using RTMP and/or SRT
- Live comment monitoring when streaming to YouTube, Twitch and Facebook Live
- Alternatively supports one NDI® HX output (but cannot do RTMP or SRT at same time)




Capture screenshots to files

- Save in PNG format to internal storage or SD card
- Export through computer, SD card, USB flash drive or Director Utility app

Record to files

- Save in MP4 or MOV format
- Save to local storage (64GB), SD card (FAT32-Under 128GB, NTFS, exFAT) and USB flash drive
- Record files by time or size, up to 1 hour or 4GB
- Export through computer, SD card, USB flash drive or Director Utility app



Director Utility is a companion app for the hardware device, available in OS and Android versions. Key benefits of the app include:

1. Turn phones or tablets into mobile cameras

Images and videos taken by phones or tablets can be taken into Director Mini via SRT protocol on the same LAN for further production and distribution.

2. Remotely control Director Mini hardware devices

- Switch and manage scenes
- Manage and change production content (video clips, audio, etc.)
- Start/stop recording and streaming tasks
- View real-time device status
- Power off the device remotely



Director Mini features a versatile, camera-mountable form factor and can be battery-powered for field use. Users can define multiple scenes that combine live HDMI, USB and audio inputs with network streams, media sources and graphics, then switch or transition between these scenes on the fly. It is designed for live production applications in markets including:

- Sports
- Education
- Entertainment
- Houses of Worship
- Public safety



Director Mini offers a unique combination of input source flexibility and feature richness in an exceptionally versatile form factor.

- Broadest range of IP input and output formats (RTMP, SRT, NDI® HX)
- Director Utility app for remote control and mobile camera sources
- Can be operated in horizontal or vertical orientation
- Hot-swappable batteries (not included) can be used to ensure continuous power supply for long-time production
- Integrated PTZ camera control (Visca UDP)



Director Mini

Included Accessories



Sunhood



Power adapter



Thumb screws



Mini stands

*please contact iView Data Ltd for local price.



Warranty

The free limited warranty period for Director Mini is as follows:

- Director Mini (excluding the **AMOLED screen**): two (2) year;
- AMOLED screen: one (1) year.

The RMA procedure for Director Mini is as follows:

1. When iView Data initially orders Director Mini, Magewell will supply a few spare units that will be used for replacement purposes.
2. Within the warranty, if the Director Mini cannot be turned on but there is no physical damage to the screen, the distributor will use the spare units to replace the RMAs for customers.
3. If the screen is physically broken (regardless of the status of the warranty), a fee will be charged before a replacement is provided. Please check with iView Data sales for details and process for repair fee payments.
4. The iView Data and Magewell will review the stock level of the spare units, ship back the RMAs and arrange new shipments of spare units to the distributor as appropriate.

MAGEWELL®



www.iviewdata.com